

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Raz-AP: Attendant Propel Mobile Shower Commode Chair with height-adjustable stainless-steel frame, flip-up padded arm supports, foot supports, four dual-locking 5" (125mm) casters and commode pan. **User weight capacity 400 lbs.** See our [Evaluation and Medical Justification Form](#).

1. Chair Codes by size – Must Choose One

Z10018	Raz-AP w/ 18"W base frame – Standard base frame size, will fit over most toilets ¹	\$1,995
Z100__*	Raz-AP w/ non-standard base frame width – *add custom width to complete order code (16"/20"/22") – Must add upcharge for custom frame width [see below] – Adjusta-Back must be selected for all custom frame widths [Sec.5]	\$1,995
Z100R18	Raz-AP w/ 18"W recliner base frame – Must add Reclining Back option ZRBA [Sec.5]	\$2,425
Z100R__*	Raz-AP w/ non-standard recliner base frame width [*add custom width to complete order code (16/20/22)] – Must add upcharge for custom frame width [see below]	\$2,425

Custom Base Frame Width - May require custom seat

Z1SW16	Upcharge for custom 16"W frame ² – will not fit over most toilets	\$665
Z1SW20	Upcharge for custom 20"W frame ³	\$665
Z1SW22	Upcharge for custom 22"W frame ⁴	\$775

¹ Fits all 18"W seats.

² Visco-Foam Interface seats can be modified to fit.

³ 18"W seats can be selected but must also select Seat Support Adapter Kit ZSSKAS [Sec.2].

⁴ ZVFI23FRON Visco Foam Interface HD seat can be modified to fit. Seat depth range (IPAS) will be 18"-20".

Custom Base Frame Length and Height

ZLNGF3	Upcharge – custom 3" Longer Frame recommended for seat depths 20"/21", req for seat depths 21"-24"	\$440
Z1LOWF4	Upcharge – custom 4" Lower Frame – reduces seat height range to 16"-18" from std height range of 20"-24" with molded seat (16"-18")	\$440

⁵ Call for quotation for recliner frame modifications.

⁶ To lower chair by an additional 1" (15"-17"), add 4" caster upgrade option ZCUAP4 [Sec.13].

2. Seats – Standard

Molded Seats (thickness ~2.5"-3")			Visco-Foam Interface Seats (thickness ~3.5")		
ZMS17FRO	18"W x 17"D – Front Access	Standard	ZVFI17BRI	18"W x 17"D – Front Bridged	\$475
ZMS17BRI	18"W x 17"D – Front Bridged	N/C	ZVFI17FRO	18"W x 17"D – Front Access	\$475
ZMS20FRO	18"W x 20"D – Front Access	\$150	ZVFI17LTO	18"W x 17"D – Left Access	\$475
ZMS20BRI	18"W x 20"D – Front Bridged	\$150	ZVFI17RTO	18"W x 17"D – Right Access	\$475
Specialty Seats			ZVFI17RRO	18"W x 17"D – Rear Access	\$475
ZSOM	Shower-Only Seat – Molded 18"W x 16"-21"D	\$440	ZVFI20BRI	18"W x 20"D – Front Bridged	\$545
ZEJRM	E&J Replica Seat – Molded – 18"W x 17"D	\$215	ZVFI20FRO	18"W x 20"D – Front Access	\$545
ZVFI23FRON	23"W x 18"D HD –Visco Foam – Front Access Notched at rear to maintain fore/aft adjustment range (IPAS) – 22"W frame	\$930	ZVFI20LTO	18"W x 20"D – Left Access	\$545
			ZVFI20RTO	18"W x 20"D – Right Access	\$545
			ZVFI20RRO	18"W x 20"D – Rear Access	\$545
ZSSKAS	Seat Support Kit for Raz-AP/SP – for seat 2" narrower than seat frame	\$160	ZGSB__*	Custom Gimballed Seat Brackets – for adding dump angle (pr) Specify additional height at front of seat to complete code (1.0"/1.5"/2.0")	\$325

3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. [See Custom Seat Assessment Form](#) – Resources tab at razdesigninc.com

ZCSEAT	Custom Seat (enter specs below) Select if both width and depth are ≤ 21"	\$1145
ZCEJR	Custom E&J Replica Seat (enter specs below) Select if both width and depth are ≤ 21"	\$1305
ZCSEATHD	Heavy Duty Custom Seats (enter specs below) Select if width and/or depth is ≥ 22"	\$1485

Custom Specifications (for above custom seats)

Seat Frame Width:	__ 16" / 18" / 20" / 22"
Custom Seat Width:	__ 16" / 18" / 20" / 22" / 24" (cannot be more than 2" wider than frame width)
Custom Seat Depth:	__ 15" / 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires Long Frame (Z1LNGF3)]
Access Opening:	__ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged
Access Opening Width:	__ 2.5" / 3.0" / 3.5" / 4.0" / 4.5" / 5.0" (3.5"W is standard)
Aperture Width:	__ 3.0"-8.0" (6.5" recommended) – enter "NA" if aperture is not required

Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.

Custom Seat width should not be narrower than frame width.

Custom Seat can be up to 2" wider than seat frame width to provide additional thigh support without ordering wider chair frame.

For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.

Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accommodation, etc.

4. Fixed Back Frames (18"W only)

This is called a "Fixed" Back because the arm supports are not adjustable in height. Includes molded vinyl back support, fixed-height flip-up padded arm supports, back angle adjustment (90°/97°) with cane-style posts. Back height is measured from top of molded seat to top of back upholstery. Hip Adductors [ZHP1/2] are not compatible with Fixed Back.

ZFB1818	Fixed Back – 18"W x 18"H (Armrest Lock Kit (ZALK) [Sec.7] is not included.)	Standard
---------	---	----------


5. Adjusta-Back Frames

Includes height / angle-adjustable arms with Arm Support Lock Kit (ZALK), tension-adjustable back upholstery, flip-up padded arm supports, back angle adjustment (90°/97°). Tension-adjustable back upholstery can be positioned 2.5" higher than the nominal height indicated below, except on ZAB2018.

Standard Width Adjusta-Backs (18"W)			Non-Standard Width Adjusta-Backs		
ZAB1815	Adjusta-Back – 15"H	\$275	* Complete Adjusta-Back order code by adding desired back frame width (16"/20"/22"/24") Note: 18" is the standard width.		
ZAB1817	Adjusta-Back – 17"H	\$275	ZAB __ 15*	Adjusta-Back – 15"H non-std width	\$275
ZAB1820	Adjusta-Back – 20"H	\$355	ZAB __ 17*	Adjusta-Back – 17"H non-std width	\$275
ZAB1824	Adjusta-Back – 24"H	\$405	ZAB __ 20*	Adjusta-Back – 20"H non-std width	\$355
ZRBA1820	Reclining Adjusta-Back ² 30° recline, 20" back height with 2-Point Reclining Arms (tilt is limited to 25°)	\$1,270	ZAB __ 24*	Adjusta-Back – 24"H non-std width	\$405
ZRBA1824	Reclining Adjusta-Back ² 30° recline, 24" back height with 2-Point Reclining Arms (tilt is limited to 25°)	\$1,330	ZRBA __ 20*	Reclining Adjusta-Back ² 30° recline, 20" back height with 2-Point Reclining Arms (tilt is limited to 25°)	\$1,270
			ZRBA __ 24*	Reclining Adjusta-Back ² 30° recline, 24" back height with 2-Point Reclining Arms (tilt is limited to 25°)	\$1,330

6. Custom Back Frame Width Narrower Than Chair Frame Width – Must choose back frame [Sec.5] (configurations below are not available for recliner backs)

NOTE: For back frame width variances on recliner frames, please request custom quotation.

ZNB__ __ *	Custom – Back Frame 2" Narrower than chair frame	\$380	Chair Frame Width	16" ¹	18" ²	20" ³	22" ⁴	
* Enter chair and back frame widths to complete code. eg. ZNB2018 specifies a 20"W chair frame with an 18"W back frame			Back Frame Width	14"	16"	18"	20"	

¹ Requires Custom Seat

² Compatible with all 18"W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface seats.

³ Custom Seat recommended. Also compatible with all 18"W seats with Seat Support Kit ZSSKAS.

⁴ Custom Seat recommended. Also compatible with modified ZVFI23FRON (18" seat depth with limited adjustability)

7. Back Support Options – These back supports replace the standard, tension-adjustable upholstery and are recommended for infection-control environments.

ZSB14	14"W Symphony Back ¹ – recessed solid back support	\$325	ZHB	Harmony Back ² (contoured solid back – 18"W x 13"H) Fits 18"W back frames only Fits 17" / 20" back heights only	\$325
ZSB16	16"W Symphony Back ¹ – recessed solid back support	\$325			
ZSB18	18"W Symphony Back ¹ – recessed solid back support	\$325			
ZSB20	20"W Symphony Back ¹ – recessed solid back support	\$440			
ZSB22	22"W Symphony Back ¹ – recessed solid back support	\$510			

¹ Does not fit 15" back heights

² Not recommended for reclining backs.

8. Arm Supports and Accessories

ZARML	Flip-Up Arm Supports – 13"L pad (pr)	Std	ZPAML	Pivoting Arm Mount – Left (for Z7FL/Z7TR)	\$185
ZARMS	Flip-Up Arm Supports – 10"L pad (pr) (not compatible with ZFAPL/ZDAPS/ZTR/ZPAM)	N/C	ZPAMR	Pivoting Arm Mount – Right (for Z7FL/Z7TR)	\$185
ZALK	Arm Support Lock Kit (For Adjustable-backs) (pr)	\$86	ZASK05	Arm Support Spacer Kit – 1/2" per side	\$69
Z2PLAS	2-Point Flip-up Arm Supports ¹ (pr) (standard with reclining backs)	\$505	ZASK10	Arm Support Spacer Kit – 1" per side	\$130
ZFAPLL	Long Molded Flat Armpad ² – Left (14"L x 3.25"W – fits ZARML)	\$90	ZPHG	Pivoting Hand Grips (pr)	\$440
ZFAPLR	Long Molded Flat Armpad ² – Right (14"L x 3.25"W – fits ZARML)	\$90	ZAPSB__ *	Anterior Posture Support Bar * Enter back frame width to complete code (14"/16"/18") ³	\$215
ZFAPSL	Short Molded Flat Armpad – Left (10"L x 3"W – fits ZARMS)	\$90	ZAPSB__ *	Anterior Posture Support Bar * Enter back frame width to complete code (20"/22") ^{3,4}	\$250
ZFAPSR	Short Molded Flat Armpad – Right (10"L x 3"W – fits ZARMS)	\$90			
ZTRL	Molded Arm Trough ² – Left (18.5"L x 4.5"W – fits ZARML)	\$125			
ZTRR	Molded Arm Trough ² – Right (18.5"L x 4.5"W – fits ZARML)	\$125			

¹ For chairs with same back width and frame width only

² May require ZASK05/ZASK10 for Arm Support to flip up, depending on medial / lateral position of the Flat Arm Pad

³ Not compatible with ZFAPL/ZFAPS/ZTR

⁴ Special length required with ZASK05 (+1") and ZASK10 (+2")

9. Foot and Leg Supports – Standard Foot Supports (ZFS) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support.

ZFS	Foot Supports 16"-20.5" (pr)	Std	ZELRL	Elevating Leg Support ³ – Left (includes Z7ADM)	\$545
ZFS16	Foot Supports for 16"W frames 16"-20.5" (pr)	N/C	ZELRR	Elevating Leg Support ³ – Right (includes Z7ADM)	\$545
ZFET2	Footrest Extension Tubes – 2" longer ¹ (pr)	\$59	ZFOR	Forward Offset Foot Support Receiver (ea) Moves Foot support forward 2.5" to accommodate deeper seats (19" or deeper) Specify 1 or 2	\$135
ZMFX8	MFX8 Foot Supports 8"-12" (pr)	\$115	ZRLSL	Universal Residual Limb Support – Left	\$215
ZMFX12	MFX12 Foot Supports 12"-16.5" (pr)	\$115	ZRLSR	Universal Residual Limb Support – Right	\$215
ZADM	Angle/Depth Adj Molded Footplates ² (pr)	\$215	ZMTSAS1	Medial thigh support pommel - Small	\$665
ZFET2A	Footrest Extension Tubes for Z7ADM (pr) (2" longer)	\$59	ZMTSAS2	Medial thigh support pommel - Large	\$665
ZADABS16	Angle/Depth Adj ABS Footplates (pr) For 16"W frames	\$215	³ ZELRL/R compatible with frame widths ≥ 18" and adjusted seat depths ≤ 18" or ≤ 21" w/ 3" longer seat frames (Z3LNGSF3)		
ZVS	V-Style Foot Support (1-piece) – for 16"/18"W base frames	\$325			
ZVS __ *	V-Style Foot Support (1-piece) * Enter frame width to complete code (20"/22"/24")	\$360			
ZFBT	Flip-Back Foot Support (1-piece) with calf pads	\$505			
¹ Not compatible with ZMFX8 / ZADM / ZVS / ZFBT					
² Not compatible with Z300S16 or ZMFX8					

10. Foot and Leg Support Accessories

ZFSLK	Foot Support Lock (pr)	\$105	ZAHL	Adjustable Heel Loops (pr) – not available for ZVS / ZFBT	\$69
ZCS __ *	Snap-On Calf Strap – Bodypoint Aeromesh \$150 * Enter seat frame width to complete code (16"/18"/20"/22"/24")		ZNC	Neoprene Covers for Standard Footplates (Each Per Side)	\$51
ZCSIC __ *	Calf Strap, Snap-On – Infection Control * Enter seat frame width to complete code (16"/18")	\$140	ZNC16	Neoprene Covers for narrow molded footplates (Each Per Side)	\$51
ZCSIC22	Snap-On Infection Control Calf Strap – 20"/22"W frames	\$160	ZNCA	Neoprene Covers for Angle/Depth Adj Molded Footplates (Each Per Side)	\$51
ZCPL	Calf Panel – Bodypoint ¹ Fits frame widths 16"/18"/20"	\$200	ZNCABS16	Neoprene Covers for ABS Adj Angle/Depth Footplates Z7ADABS (Each Per Side)	\$51
ZHS1820	H-Strap – for 18"/20"W frames – hook and loop attachment	\$100	ZLMOR	Lateral / Medial Offset Foot Support Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2 ____	\$90
ZHS2224	H-Strap – for 22"/24"W frames – hook and loop attachment	\$125			
¹ Not compatible with ZMFX12 / ZADM / ZVS / ZFBAS					

11. Positioning Pads

ZHSAS1	Head Support w/ Small Pad (10" x 4")	\$545	ZLGAS1L	Leg Adductor w/ Small Pad ¹ – Left	\$365
ZHSAS2	Head Support w/ Large Pad (12" x 6")	\$605	ZLGAS1R	Leg Adductor w/ Small Pad ¹ – Right	\$365
ZOHIP	Lateral Offset Head Support Interface Plate– up to 22° of adjustment	\$86	ZLGAS2L	Leg Adductor w/ Large Pad ¹ – Left	\$365
ZLTS1L	Lateral Thoracic Support w/ Small Pad ^{1,2} – Left	\$365	ZLGAS2R	Leg Adductor w/ Large Pad ¹ – Right	\$365
ZLTS1R	Lateral Thoracic Support w/ Small Pad ^{1,2} – Right	\$365	ZHP1L	Hip Adductor w/ Small ad ^{1,3} – Left	\$365
ZLTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2} – Left	\$365	ZHP1R	Hip Adductor w/ Small Pad ^{1,3} – Right	\$365
ZLTS2R	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$365	ZHP2L	Hip Adductor w/ Large Pad ^{1,3} – Left	\$365
ZLAEPL	Lateral/Adductor Extension Plate (5.5" x 3.5") - Left	\$27	ZHP2R	Hip Adductor w/ Large Pad ^{1,3} – Right	\$365
ZLAEPR	Lateral/Adductor Extension Plate (5.5" x 3.5") - Right	\$27			

¹ Adjustable Pad Sizes: Small – 5.5" x 3.5" / Large – 6.75" x 4.3"
² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify ZLAEPL extension plate.
³ Fits Adjusta-Back only

12. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts			Chest Belts		
ZPBS	Pelvic Belt – Small (frame widths 14-16", 2-piece w/ side-release buckle)	\$48	ZCBS	Chest Belt ² – Small (back widths 14"-16", 1-piece w/ hook and loop closure)	\$37
ZPBM	Pelvic Belt – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$59	ZCBM	Chest Belt ² – Medium (back widths 16"-18", 1-piece w/ hook and loop closure)	\$42
ZPBL	Pelvic Belt – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$54	ZCBL	Chest Belt ² – Large (back widths 18"-22", 1-piece w/ hook and loop closure)	\$54
ZPBXL	Pelvic Belt – XLarge (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$74	ZCBXL	Chest Belt – XLarge ² (back frame widths 22"-30", 1-piece w/ hook and loop closure)	\$69
ZPBICS	Pelvic Belt ¹ – Infection Control, Small 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 14"-16")	\$105	ZCBICS	Chest Belt ^{1,2} – Infection Control, Small 1-piece w/ side-release buckle (back widths 14-16")	\$86
ZPBICM	Pelvic Belt ¹ – Infection Control, Medium 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 16"-18")	\$105	ZCBICM	Chest Belt ^{1,2} – Infection Control, Medium 1-piece w/ side-release buckle (back widths 16"-18")	\$96
ZPBICL	Pelvic Belt ¹ – Infection Control, Large 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 18"-22")	\$105	ZCBICL	Chest Belt ^{1,2} – Infection Control, Large 1-piece w/ side-release buckle (back widths 18"-22")	\$120
ZPBICXL	Pelvic Belt ¹ – Infection Control, XLarge 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 22"-30")	\$120	ZCBICXL	Chest Belt ^{1,2} – Infection Control, XLarge 1-piece w/ side-release buckle (back frame widths 22"-30")	\$350
ZPBBPS	Pelvic Belt – Bodypoint Aeromesh, Small	\$315	ZCBBPS	Chest Belt – Bodypoint Aeromesh, Small	\$295
ZPBBP __ *	Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$285	ZCBBP __ *	Chest Belt – Bodypoint Aeromesh * enter size to complete code (M / L / XL)	\$295
ZPBBPXL	Pelvic Belt – Bodypoint Aeromesh, XLarge	\$215			

Recommended sizes for Bodypoint belts	Chest belt	ZCBBPS	14"-16"W back frame	ZCBBPM	16"-18"W back frame	ZCBBPL	18"-22"W back frame	ZCBBPXL	22"-30"W back frame
	Pelvic belt	ZPBBPS	14"-16"W base frame	ZPBBPM	16"-18"W base frame	ZPBBPL	18"-22"W base frame	ZPBBPXL	22"-30"W base frame

¹ Non-absorbent belts – recommended for infection-control environments
² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.

13. Other

ZDCLA	Directional Caster Lock – fits on left rear caster (facilitates steering)	\$160	ZIHW	Whizard – winged urine deflector ³	\$74
ZATAS4	Anti-Tippers for 4" casters ¹ (pr) Rear Front	\$380	ZBUDBH __ *	Bard Urine Drainage Bag Holder * Enter size to complete code (16" / 18" / 20" / 22")	\$180
ZATAS5	Anti-Tippers for 5" casters ¹ (pr) Rear Front	\$380	ZSPKS22 SP	Conversion Kit for AP with 22" rear wheels and molded textured hand rims. (includes axle plates, receivers, caster sleeves + wheel locks)	\$900
ZATAS6	Anti-Tippers for 6" casters ¹ (pr) Rear Front	\$380	ZSPKS24 SP	Conversion Kit for AP with 24" rear wheels and molded textured hand rims. (includes axle plates, receivers, caster sleeves + wheel locks)	\$900
ZCUAP4	4" Caster Upgrade (4x)	\$135			
ZCUAP6	6" Caster Upgrade (4x)	\$380			
ZPSK1	Commode Pan Spacer Kit ² – 1" lower	\$220			
ZPSK2	Commode Pan Spacer Kit ² – 2" lower	\$235			
ZPSK3	Commode Pan Spacer Kit ² – 3" lower	\$260			
ZPSK4	Commode Pan Spacer Kit ² – 4" lower	\$275			

¹ Included with Reclining Back Option (ZRBA) [Sec.5]
² Commode pan spacer kits provide extra clearance for perianal care with pan in place. Reduces toilet bowl clearance height.
³ Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.
NOTE ** when ordering the SP Kit on chair only 2 Casters will be shipped not 4

14. Credits and Omissions

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z907	Omit Foot Supports - if no other Foot / Leg Support Option is selected	-\$45
------	--	-------	------	--	-------

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

Specifications	Raz-AP (Attendant Propel)
Weight Capacity	400 lbs
Overall Width	Seat width plus 4.5" with Standard Arm Pads
Overall Length (foot supports in middle position)	36.5" (with rear caster trailing), 35" (to rear canes)
Seat Depth	16" or 21" depending on seat/cushion length
Toilet Clearance Height (under seat)	
- with pan brackets	15.25"-19.25" (1" increments)
- without pan brackets	16"-20" (1" increments)
Toilet Clearance Width	16" for standard 18"W seat frame. For other widths, seat frame width minus 2"
Arm Support Height - above molded seat (1/2" increments)	
- 18"H Fixed Back - standard	8.5"
- 15"H Adjusta-Back	5.5"-8.5"
- 17"H Adjusta-Back	6.5"-9.5" (1/2" increments)
- 20"H Adjusta-Back	7.5"-10.5" (1/2" increments)
- 24"H Adjusta-Back	7.5"-10.5" (1/2" increments)
- 20"H Reclining Adjusta-Back	7.5"-10.5" (1/2" increments)
- 24"H Reclining Adjusta-Back	7.5"-10.5" (1/2" increments)
Seat-to-Floor Height (with molded seat)	20"-24"
Product Weight (with 18"W seat)	38 lbs
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)